



PORTABLE DIESEL GENSET



FUEL EFFICIENT

EASY MOBILITY

COMPACT DESIGN

ROBUST ENCLOSURE



Established in 2009, Jaycee Punching Solutions Pvt. Ltd. is part of "Jaycee" group. The company is one of the leading players in genset business and is an OEA (Original Equipment Assembler) for Eicher Engines(TMTL). The company has sold more than 60,000 gensets in the Indian and Overseas Market.

Its customers range from telecom players like Reliance Jio, Indus Towers and Bharti Airtel to corporate customers like ICICI Bank, Cafe Coffee Day and Serap. The company has also supplied generators to Defense Institutions and ICT Projects.

Manufacturing quality products and adhering to quality systems is the foremost priority of the company.

Jaycee Punching Solutions Pvt. Ltd. has state of the art manufacturing plants located at Prithla, Haryana.



Manufacturing Diesel Generators

Manufacturing Electrical Stampings

The plants are certified with ISO 9001 for quality, ISO 14001 for environment and OHSAS 18001.

Jaycee - Best in Class



One of the **Most Trusted** players in the Generator Market (sold 60,000+ diesel generators)



Using world renowned brand of "**Kohler Engines**".



Using **NSM Alternators** (Italy) / Equivalent make Branded Alternators.



Designed for **Easy Access** for maintenance (All regular checks can be carried out just by lifting the front side of the generator)



Best in Class Aesthetics

Nine stage phosphate dipped tank process, and powder paint finish provides excellent anti corrosion and UV resistance for the canopy.



SPECIFICATIONS

GENSET	3.5 kva	5kva
Genset Model	JPS /103R	JPS /105R
Rating @ .8pf	3.5kva	5kva
Phase	Single	Single
Control Panel	Manual/AMF	Manual/AMF
Genset Dimensions LxWxH (mm)	970 x 650 x 780*	970 x 650 x 780*
Noise Level (1M-dba)	≤75	≤75
Fuel Tank Capacity (Lit)	15	15
Weight (kg)	210	215
ENGINE		
Engine Make	KOHLER	KOHLER
Engine Model	KD441-GSI2	KD441-GSI2
Type	Direct Injection, 4 stroke, Diesel	Direct Injection, 4 stroke, Diesel
Cooling	Air Cooled	Air Cooled
Engine Aspiration	Natural	Natural
Rated Speed (RPM)	3000	3000
Maximum Power kWm(HP)	6.1(8.18)	6.1(8.18)
No. of Cylinder and arrangement	1 , Vertical	1 , Vertical
Displacement (cc)	441	441
Bore x Stroke (mm)	86x76	86x76
Compression Ratio	20.3:1	20.3:1
Governer Type/Class of Governing	Mechanical/A2	Mechanical/A2
Air Cleaner Type,Qty	Dry,1	Dry,1
Lub Oil Sump Capacity (Lit)	1.5	1.5
Engine Electrical System	12 V	12 V
ALTERNATOR		
Alternator Make	NSM/Equivalent	NSM/Equivalent
Voltage (Volts)	230	230
Insulation	Class H	Class H

*With wheels Genset Dimensions LxWxH(mm) = 970x650x920

**Due to continuous improvements, product specifications and features described herein are subject to change without notice.

TYPICAL APPLIANCE CONFIGURATION



AC

+



LCD/Printer/Computer

+



8 Fans


+



20 X 20 W

† Terms & Conditions - Depending on Wattage of Appliances

CLIENTS



CONTACT US

JAYCEE PUNCHING SOLUTIONS PVT. LTD.



www.jayceepower.com



8th Floor , 801, SSR Corporate Park, 13/6
Mathura Road, NH-2, Faridabad-121003



+91-129-4250800



dgsales@jayceepower.com



www.facebook.com/jayceepunchingsolutions

Also @ Lucknow, Patna, Ranchi, Bhubaneshwar, Kolkata, Guwahati

Dealer Stamp

CUSTOMER CARE

1800-120-8503

WARRANTY TERMS

Warranty period covers
1 Year or 1500 Hours run*
(whichever is earlier)

*Terms and condition apply